





Vision Guided Language Generation

Min Sun
National Tsing Hua University


Overview

- Captioning
 - For Image
 - Referring Expression
 - For Video
- Question Answering
 - For Image
 - For Video
- Others
 - Storytelling
 - Visual-aware HCI







I have a CNN, I have a RNN -> Novel Sentences



Oriol Vinyals, Alexander Toshev, Samy Bengio, Dumitru Erhan. Show and Tell: A Neural Image Caption Generator. CVPR 2015 Google




Andrej Karpathy, Li Fei-Fei. Deep Visual-Semantic Alignments for Generating Image Descriptions. CVPR 2015




Andrej Karpathy, Li Fei-Fei. Deep Visual-Semantic Alignments for Generating Image Descriptions. CVPR 2015

Sequences in the Output



Jeff Donahue, Lisa Anne Hendricks, Sergio Guadarrama, Marcus Rohrbach, Subhashini Venugopalan, Kate Saenko, and Trevor Darrell, Long-term Recurrent Convolutional Networks for Visual Recognition and Description, CVPR 2015


Two-layer word embedding system



Junhua Mao, Wei Xu, Yi Yang, Jiang Wang, Zhiheng Huang, Alan Yuille. Deep Captioning with Multimodal Recurrent Neural Networks (m-RNN). ICLR 2015

Captioning - Attention

Attention mechanism: per word attention.




Kelvin Xu, Jimmy Ba, Ryan Kiros, Kyunghyun Cho, Aaron Courville, Ruslan Salakhutdinov, Richard Zemel, Yoshua Bengio. Show, **Attend** and Tell: Neural Image Caption Generation with Visual Attention. ICML 2015

Captioning - Attention

Attention mechanism: per word attention.

Soft-attention, determinisitc, Backpropagation




Hard-attention, stochastic, lower-bound or RL

Kelvin Xu, Jimmy Ba, Ryan Kiros, Kyunghyun Cho, Aaron Courville, Ruslan Salakhutdinov, Richard Zemel, Yoshua Bengio. Show, Attend and Tell: Neural Image Caption Generation with Visual Attention. ICML 2015

Captioning - Attributes


• Semantic Attention (e.g., surfboard, etc.)



Quanzeng You, Hailin Jin, Zhaowen Wang, Chen Fang, Jiebo Luo. Image Captioning With Semantic Attention. CVPR 2016

Captioning - Attributes

• **Semantic** Attention (e.g., surfboard, etc.)



Quanzeng You, Hailin Jin, Zhaowen Wang, Chen Fang, Jiebo Luo. Image Captioning With Semantic Attention. CVPR 2016

Captioning - Attributes

Great performance on COCO captioning



BOOSTING IMAGE CAPTIONING WITH ATTRIBUTES
Ting Yao, Yingwei Pan, Yehao Li, Zhaofan Qiu, Tao Mei. ICLR 2017
under review

Captioning – Rich Caption

Landmark and Celebrity




"Sasha Obama, Malia Obama, Michelle Obama, Peng Liyuan et al. posing for a picture with Forbidden City in the background."

Kenneth Tran et al., Rich Image Captioning in the Wild. CVPR 2016

Captioning – Curriculum Learning


 gently change the training process from a fully guided scheme using the true previous token, towards a less guided scheme which mostly uses the generated token instead



Samy Bengio, Oriol Vinyals, Navdeep Jaitly, Noam Shazeer. Scheduled Sampling for Sequence Prediction with Recurrent Neural Networks, NIPS 2015


Captioning – *Unpaired Data*

 generating descriptions of novel objects which are not present in paired image-sentence datasets



Lisa Anne Hendricks, Subhashini Venugopalan, Marcus Rohrbach, Raymond Mooney, Kate Saenko, Trevor Darrell. Deep Compositional Captioning: Describing Novel Object Categories Without Paired Training Data. CVPR 2016


Captioning – *Unpaired Data*



Lisa Anne Hendricks, Subhashini Venugopalan, Marcus Rohrbach, Raymond Mooney, Kate Saenko, Trevor Darrell. Deep Compositional Captioning: Describing Novel Object Categories Without Paired Training Data. CVPR 2016

Captioning – DenseCap


 Both localize and describe salient regions in images in natural language.



Justin Johnson, Andrej Karpathy, Li Fei-Fei, DenseCap: Fully Convolutional Localization Networks for Dense Captioning, CVPR 2016

Captioning – DenseCap


Caption and localization layers end-to-end trainable



Justin Johnson, Andrej Karpathy, Li Fei-Fei, DenseCap: Fully Convolutional Localization Networks for Dense Captioning, CVPR 2016

Captioning – Object Descriptions


Generation and Comprehension of Unambiguous OD



Junhua Mao, Jonathan Huang, Alexander Toshev, Oana Camburu, Alan L. Yuille, Kevin Murphy. Generation and Comprehension of Unambiguous Object Descriptions. CVPR 2016

Captioning – Object Retrieval


using Natural Language



Ronghang Hu, Huazhe Xu, Marcus Rohrbach, Jiashi Feng, Kate Saenko, Trevor Darrell. Natural Language Object Retrieval CVPR 2016

Captioning – Referring Expression


Joint inference among all objects



Licheng Yu, Patrick Poirson, Shan Yang, Alexander C. Berg, Tamara L. Berg, Modeling Context in Referring Expressions, ECCV 2016

Captioning – Referring Expression

Context Between Objects for Referring Expression



Varun K. Nagaraja Vlad I. Morariu Larry S. Davis, Modeling Context Between Objects for Referring Expression Understanding, ECCV 2016


Captioning – Dataset

- Peter Young, Alice La,i Micah Hodosh, Julia Hockenmaier. From image descriptions to visual denotations: New similarity metrics for semantic inference over event descriptions. (Flickr30K) TCAL 2014
- Tsung-Yi Lin et al., Microsoft COCO: Common Objects in Context. ECCV 2014
- Ranjay Krishna et al., Visual Genome: Connecting Language and Vision Using Crowdsourced Dense Image Annotations. Arxiv 2016

Challenge


Image captioning

- <u>Leaderboard</u> of MS COCO image captioning
 - Rank 1 in both external and internal ranking lists, in terms of all performance metrics (July 21)
 - COCO dataset
 - 123,287 images (82,783 for training + 40,504 for validation)
 - 5 sentences per image (AMT workers)



Video Captioning


• I have a RNN-Encode, I have a RNN-Decoder: Video-to-Text



Subhashini Venugopalan, Marcus Rohrbach, Jeff Donahue, Raymond Mooney, Trevor Darrell, Kate Saenko. Sequence to Sequence – Video to Text. ICCV'15

Video Captioning-Attention


Frame-level soft-attention



Li Yao, Atousa Torabi, Kyunghyun Cho, Nicolas Ballas, Christopher Pal, Hugo Larochelle, Aaron Courville, Describing Videos by Exploiting Temporal Structure. ICCV 2015

Video Captioning-Joint Embedding


Additional Relevance Loss




Yingwei Pan, Tao Mei, Ting Yao, Houqiang Li, Yong Rui. Jointly Modeling Embedding and Translation to Bridge Video and Language, CVPR 2016

Video Captioning-Hierarchical Encoder

Exploiting video temporal structure in a longer range



(a) Stacked LSTM video encoder




(b) Hierarchical Recurrent Neural Encoder

Pingbo Pan et al., Hierarchical Recurrent Neural Encoder for Video Representation with Application to Captioning. CVPR 2016

Video Captioning-Generate a Paragraph

- A sentence generator and a paragraph generator
- Spatial- and Temporal-Attention
- Paragraph state to initialize Recurrent I




Haonan Yu, Jiang Wang, Zhiheng Huang, Yi Yang, Wei Xu, Video Paragraph Captioning Using Hierarchical Recurrent Neural Networks. CVPR 2016

Video Captioning – Title (Highlight)

Title (most salient event): Bmx rider gets hit by scooter at park




Captions: A man riding on bike. A man does a stunt on a bmx bike.



Kuo-Hao Zeng, Tseng-Hung Chen, Juan Carlos Niebles, Min Sun. Title Generation for User Generated Videos. FCCV 2016

Video Captioning—Bi-direction



Yi Bin et al., Bidirectional Long-Short Term Memory for Video Description. ACM MM 2016


Video Captioning – Dataset

- Rohrbach et al. MPII Movie Description (MPII-MD).
 CVPR 2016
- Torabi et al. Montreal Video Annotation Dataset (M-VAD). Arxiv 2016
- Jun Xu, Tao Mei, Ting Yao and Yong Rui. MSR-VTT: A Large Video Description Dataset for Bridging Video and Language. CVPR 2016
- Zhen et al. Video Title in the Wild (VTW). ECCV 2016

Challenge

Microsoft Video to Language Challenge

77 teams registered challenge22 teams submitted resultsAwards will be announced at ACMMM




M1	M2							
Rank	Team	Organization	BLEU@4	Meteor	CIDEr-D	ROUGE-L		
1	v2t_navigator	RUC & CMU	0.408	0.282	0.448	0.609		
2	Aalto	Aalto University	0.398	0.269	0.457	0.598		
3	VideoLAB	UML & Berkeley & UT-Austin	0.391	0.277	0.441	0.606		
4	ruc-uva	RUC & UVA & Zhejiang University	0.387	0.269	0.459	0.587		
5	Fudan-ILC	Fudan & ILC	0.387	0.268	0.419	0.595		
6	NUS-TJU	NUS & TJU	0.371	0.267	0.410	0.590		
7	Umich-COG	University of Michigan	0.371	0.266	0.411	0.583		
8	MCG-ICT-CAS	ICT-CAS	0.367	0.264	0.404	0.590		
9	DeepBrain	NLPR_CASIA & IQIYI	0.382	0.259	0.401	0.582		
10	NTU MIRA	NTU	0.355	0.261	0.383	0.579		

M1 M2									
Rank	Team	Organization	C1	C2	C3				
1	Aalto	Aalto University	3.263	3.104	3.244				
2	v2t_navigator	RUC & CMU	3.261	3.091	3.154				
3	VideoLAB	UML & Berkeley & UT-Austin	3.237	3.109	3.143				
4	Fudan-ILC	Fudan & ILC	3.185	2.999	2.979				
5	ruc-uva	RUC & UVA & Zhejiang University	3.225	2.997	2.933				
6	Umich-COG	University of Michigan	3.247	2.865	2.929				
7	NUS-TJU	NUS & TJU	3.308	2.833	2.893				
8	DeepBrain	NLPR_CASIA & IQIYI	3.259	2.878	2.892				
9	NLPRMMC	CASIA & Anhui University	3.266	2.868	2.893				
10	MCG-ICT-CAS	ICT	3.339	2.800	2.867				

Question Answering

Question Answering


 RNN to encode a question and Image; RNN to decode an answer (multiple words); Single-RNN



Mateusz Malinowski, Marcus Rohrbach, Mario Fritz, Ask Your Neurons: A Neural-based Approach to Answering Questions about Images, ICCV 2015

Question Answering


limited answer space for easy evaluation



Mengye Ren, Ryan Kiros, Richard Zemel, Exploring Models and Data for Image Question Answering, ICML 2015

Question Answering


Separate LSTM-Q and LSTM-A



H. Gao, J. Mao, J. Zhou, Z. Huang, L. Wang, and W. Xu. Are you talking to a machine? Dataset and methods for multilingual image question answering. NIPS 2015


Question Answering

Point-wise multiplication




S. Antol, A. Agrawal, J. Lu, M. Mitchell, D. Batra, C. L. Zitnick, and D. Parikh. Vqa: Visual question answering. ICCV 2015

Stack Attention Network (SAN)




Zichao Yang, Xiaodong He, Jianfeng Gao, Li Deng, Alex Smola, Stacked Attention Networks for Image Question Answering, CVPR 2016

Dynamic Memory Network




Caiming Xiong, Stephen Merity, Richard Socher, Dynamic Memory Networks for Visual and Textual Question Answering, ICML 2016

word to patch at 1st hop; whole Q at 2nd hop.




Huijuan Xu, Kate Saenko, Ask, Attend and Answer: Exploring Question-Guided Spatial Attention for Visual Question Answering, ECCV 2016

 Averaged representation of word2vec vectors for language




Kevin J. Shih, Saurabh Singh, Derek Hoiem, Where To Look: Focus Regions for Visual Question Answering, CVPR 2016

Dual Attention



Hyeonseob Nam, Jung-Woo Ha, Jeonghee Kim. Dual Attention Networks for Multimodal Reasoning and Matching. CVPR'16 VQA Challenge Workshop


Dual Attention



Hyeonseob Nam, Jung-Woo Ha, Jeonghee Kim. Dual Attention Networks for Multimodal Reasoning and Matching. CVPR'16 VQA Challenge Workshop

Question Answering – Dynamic Parameter


Dynamic Parameter Layer (hashing)



Hyeonwoo Noh, Paul Hongsuck Seo, and Bohyung Han, Image Question Answering using Convolutional Neural Network with Dynamic Parameter Prediction, CVPR 2016

Question Answering – Bilinear Pooling

Outer product of the visual and textual vectors



Akira Fukui, Dong Huk Park, Daylen Yang, Anna Rohrbach, Trevor Darrell, Marcus Rohrbach. Multimodal Compact Bilinear Pooling for Visual Question Answering and Visual Grounding. CVPR'16 VQA Challenge Workshop.

Question Answering – Knowledge

External Knowledge



Attributes:

umbrella beach sunny day people sand laying blue green mountain

Internal Textual Representation:

A group of people enjoying a <u>sunny</u> day at the <u>beach</u> with umbrellas in the sand.

External Knowledge:

An <u>umbrella</u> is a canopy designed to protect against rain or sunlight. Larger <u>umbrellas</u> are often used as points of <u>shade</u> on a <u>sunny beach</u>. A <u>beach</u> is a landform along the coast of an ocean. It usually consists of loose particles, such as sand....


Question Answering:

Q: Why do they have umbrellas? A: Shade.

Qi Wu, Peng Wang, Chunhua Shen, Anton van den Hengel, Anthony Dick. Ask Me Anything: Free-form Visual Question Answering Based on Knowledge from External Sources. CVPR 2016

Question Answering – Knowledge

External Knowledge




Qi Wu, Peng Wang, Chunhua Shen, Anton van den Hengel, Anthony Dick. Ask Me Anything: Free-form Visual Question Answering Based on Knowledge from External Sources. CVPR 2016

Question Answering – Dataset


- DAQUAR Malinowski and Fritz. NIPS 2014
- VQA based on MSCOCO images. ICCV 2015
- COCO-QA based on MSCOCO images. Ren et al. ICML 2015
- FM-IQA built from scratch by Baidu in Chinese, with English translation. Gao et al. NIPS 2015
- Yuke Zhu, Oliver Groth, Michael Bernstein, Li Fei-Fei, Visual7W: Grounded Question Answering in Images, CVPR 2016.

Challenge



Video Question Answering


Learning to rank multiple choices



Linchao Zhu, Zhongwen Xu, Yi Yang, Alexander G. Hauptmann. Uncovering Temporal Context for Video Question and Answering. arXiv 2015

Video Question Answering


Multiple Extensions for Video-QA



Kuo-Hao Zeng, Tseng-Hung Chen, Ching-Yao Chuang, Yuan-Hong Liao, Juan Carlos Niebles, Min Sun. Leveraging Video Descriptions to Learn Video Question Answering. AAAI 2017

Video Question Answering – Dataset

VTW Video-QA dataset



Kuo-Hao Zeng, Tseng-Hung Chen, Ching-Yao Chuang, Yuan-Hong Liao, Juan Carlos Niebles, Min Sun. Leveraging Video Descriptions to Learn Video Question Answering. AAAI 2017


Video Question Generation



- How many horses are in the field?




- Who won the race?



Nasrin Mostafazadeh, Ishan Misra, Jacob Devlin, Margaret Mitchell, Xiaodong He, Lucy Vanderwende, Generating Natural Questions About an Image, ACL 2016

Video Question Answering – Dataset

Moive-QA




Makarand Tapaswi, Yukun Zhu, Rainer Stiefelhagen, Antonio Torralba, Raquel Urtasun, Sanja Fidler, MovieQA: Understanding Stories in Movies through Question-Answering, CVPR 2016.

Others

Storytelling – Retrieval

Retrieve fluent sequential multiple sentences



Cesc Chunseong Park, Gunhee Kim. Expressing an Image Stream with a Sequence of Natural Sentences. NIPS 2015

Storytelling – Generate

Sequential Images Narrative Dataset (SIND)




Figure 1: Example language difference between descriptions for images in isolation (DII) vs. stories for images in sequence (SIS).

Ting-Hao (Kenneth) Huang et al., Visual Storytelling, NAACL 2016

Storytelling - Skip

• sGRU



Yu Liu, Jianlong Fu, Tao Mei, Chang Wen Chen. Storytelling of Photo Stream with Bidirectional Multi-thread Recurrent Neural Network. Arxiv 2016

Video-Commenting

Deep Multi-View Embedding Model

Input Video:



Output Comment:

Motivated me to go beyond my limits in skateboarding!!!

Human Made Comment:

He should be a new character in the next skateboarding game.


Output Sentence:

A man is doing a trick on a skateboarding.

Yehao Li, Ting Yao, Tao Mei, Hongyang Chao, Yong Rui, "Share-and-Chat: Achieving Human-Level Video Commenting by Search and Multi-View Embedding," ACM Multimedia (MM), 2016

Video-Chatbot

human-level emotional comments



Yehao Li, Ting Yao, Rui Hu, Tao Mei, Yong Rui. Video ChatBot: Triggering Live Social Interactions by Automatic Video Commenting. ACM Multimedia (MM), 2016

Future

- Vision Guided Language-based HCI
 - Chatbot
 - Smart Assistant
- Storytelling
 - Public events (e.g., newspaper)
 - Personal events (e.g., personal blog post)

Thanks!